



TABLE OF CONTENTS

PRODUCT CATEGORY

PAGE

BANDIT® SERIES Belt Drive Pressure Washers

The Original Bandit	1
Bandit Skid	2
Bandit Ultra Skid	3
Bandit Ultra Roll Cage	4

PHANTOM SERIES Direct Drive Pressure Washers

Phantom Silver	5
Phantom Silver Hi-Flow	6
Phantom Black	7
Phantom E	8
Phantom E Hand Carry	9
Phantom Softwash	10

DRAGON SERIES Hot Water Pressure Washers

Dragon Hot Box	11
Dragon	12

SMOKIN' BANDIT SERIES Hot Water Pressure Washers

Smokin' Bandit	13
Ultra Smokin' Bandit	14

ROTO-EZE SERIES Rotary Surface Cleaners

RotoEze Pro Series	15
RotoEze Consumer Series	16



Pressure Systems Innovations

3750 Investment Lane » Suite 4 » West Palm Beach, FL 33404

Phone: 561.249.2830 » Fax: 561.249.2871 » sales@pressuresystemsinnovations.com

www.PressureSystemsInnovations.com

BANDIT® SERIES PROFESSIONAL BELT DRIVE PRESSURE WASHERS

FEATURES

- » Honda engines with low oil protection
- » Premium Series industrial Comet triplex pump
- » External unloader and bypass system
- » Ultra lightweight aluminum frame with 1 1/4" tubing operator handle
- » 13" rugged FLAT FREE tires
- » Easy access two piece aluminum belt guard
- » 3-groove "Bandit" belt for uniform tension and maximum power transfer
- » "EZ-line" belt tension assembly
- » Thermal relief safety protection
- » User friendly engine oil drain system
- » 50 mesh stainless steel inlet filter
- » 3/4" cold rolled steel axle
- » Dual anti-vibration rubber isolators

Units include 50' steel braided non-marking gray hose, 36" spray wand with molded grip and gun, 5 quick connect spray nozzles, and a high draw chemical injector. Hose reel kits and other options are available. See your PSI dealer for details.



"The Original"
B-4040HC

POWERED by
HONDA



PSI pressure washers feature Comet pumps for their unmatched quality and life.



PUMP FEATURES:

- » Forged brass manifold with lifetime warranty
- » Forged one piece bronze alloy connecting rods
- » High efficiency, stainless steel check valves
- » Abrasion proof, heat resistant, solid ceramic plungers
- » Premium quality oversized tapered roller bearings
- » Increased fin depth for maximum heat dissipation
- » Large crankcase capacity for improved cooling
- » **Special PSI offering:** 1 year "Bumper-to-Bumper" warranty on RW Series pumps - includes all normal wear items



SPECIFICATIONS

MODEL	PSI	GPM	TIRES	ENGINE	PUMP	DIMENSIONS	UNIT WEIGHT
B-4040HC	4000	4.0	13"	Honda GX390	RW4040S	43" x 26" x 27"	144 lbs.
B-5530HC	3000	5.5	13"	Honda GX390	RW5535S	43" x 26" x 27"	144 lbs.



Pressure Systems Innovations


3750 Investment Lane » Suite 4 » West Palm Beach, FL 33404
 Phone: 561.249.2830 » Fax: 561.249.2871 » sales@pressuresystemsinnovations.com
 www.PressureSystemsInnovations.com

BANDIT® SKID SERIES

BANDIT® SKID PRESSURE WASHERS

FEATURES


- » Honda engines with low oil protection
- » Premium Series industrial Comet triplex pump
- » External unloader and bypass system
- » Ultra lightweight aluminum skid
- » Easy access two piece aluminum belt guard
- » 3-groove "Bandit" belt for uniform tension and maximum power transfer
- » "EZ-line" belt tension assembly
- » Thermal relief safety protection
- » User friendly engine oil drain system
- » 50 mesh stainless steel inlet filter
- » Dual anti-vibration rubber isolators



B-K4040HC

POWERED by HONDA™

Units include 50' steel braided non-marking gray hose, 36" spray wand with molded grip and gun, 5 quick connect spray nozzles, and a high draw chemical injector. Other kit options are available. See your PSI dealer for details.



PSI pressure washers feature Comet pumps for their unmatched quality and life.



PUMP FEATURES:

- » Forged brass manifold with lifetime warranty
- » Forged one piece bronze alloy connecting rods
- » High efficiency, stainless steel check valves
- » Abrasion proof, heat resistant, solid ceramic plungers
- » Premium quality oversized tapered roller bearings
- » Increased fin depth for maximum heat dissipation
- » Large crankcase capacity for improved cooling
- » **Special PSI offering:** 1 year "Bumper-to-Bumper" on RW Series pumps - includes all normal wear items



SPECIFICATIONS

MODEL	PSI	GPM	ENGINE	PUMP	DIMENSIONS	UNIT WEIGHT
B-K4040HC	4000	4.0	Honda GX390	RW4040S	43" x 26" x 27"	144 lbs.
B-K5530HC	3000	5.5	Honda GX390	RW5530S	43" x 26" x 27"	144 lbs.



Pressure Systems Innovations

3750 Investment Lane » Suite 4 » West Palm Beach, FL 33404
 Phone: 561.249.2830 » Fax: 561.249.2871 » sales@pressuresystemsinnovations.com
 www.PressureSystemsInnovations.com

BANDIT® ULTRA SKID SERIES

BANDIT® ULTRA SKID PRESSURE WASHERS

FEATURES

- » Honda V-Twin GX Series or Kohler CH750 engines
- » Genuine OEM Honda muffler
- » Hi Flow Series industrial Comet triplex pump with lifetime manifold warranty
- » Block mounted high flow pressure valve for single or dual gun applications
- » Ultra rugged corrosion resistant extruded aluminum base
- » Easy access two piece aluminum belt guard
- » 4-groove "Bandit" belt for uniform tension and maximum power transfer
- » "EZ-line" belt tension assembly
- » Easy engine and pump oil drain systems
- » Quad anti-vibration rubber isolators



POWERED by
HONDA

KOHLER
Engines



PSI pressure washers feature Comet pumps for their unmatched quality and life.



PUMP FEATURES:

- » Forged brass manifold with lifetime warranty
- » Forged one piece bronze alloy connecting rods
- » High efficiency, stainless steel check valves
- » Abrasion proof, heat resistant, solid ceramic plungers
- » Premium quality oversized tapered roller bearings
- » Increased fin depth for maximum heat dissipation
- » Large crankcase capacity for improved cooling
- » **Special PSI offering:** 1 year "Bumper-to-Bumper" warranty on RW, TW, & PS Series pumps – includes all normal wear items



SPECIFICATIONS

MODEL	PSI	GPM	ENGINE	PUMP	DIMENSIONS	UNIT WEIGHT
B-K5530HC	3000	5.5	Honda GX390	RW5535S	43" x 26" x 27"	144 lbs.
B-K5535HC	3500	5.5	Honda GX630	RW5535S	34" x 18" x 22"	198 lbs.
B-K8030HC	3500	8.0	Honda GX690	TW8030S	34" x 18" x 22"	210 lbs.
B-K1025HC	2500	10.0	Honda GX690	TWS1030	34" x 18" x 22"	210 lbs.
B-K5050HC	5000	5.0	Honda GX690	TW5050S	34" x 18" x 22"	210 lbs.
B-K8040KC	4000	8.0	Kohler CH750	PS8010S	34" x 18" x 22"	230 lbs.
B-K1035KC	3500	10.0	Kohler CH750	PS8010S	34" x 18" x 22"	230 lbs.
B-K5050KC	5000	5.0	Kohler CH750	TW5050S	34" x 18" x 22"	230 lbs.



Pressure Systems Innovations

3750 Investment Lane » Suite 4 » West Palm Beach, FL 33404
 Phone: 561.249.2830 » Fax: 561.249.2871 » sales@pressuresystemsinnovations.com
 www.PressureSystemsInnovations.com

BANDIT® ULTRA CAGE SERIES ULTRA ROLL CAGE PRESSURE WASHERS

FEATURES

- » Honda V-Twin GX Series or Kohler CH750 engines
- » Genuine OEM Honda muffler
- » Hi Flow Series industrial Comet triplex pump with lifetime manifold warranty
- » Block mounted adjustable pressure unloader
- » Modern roll cage design for extreme applications and transportation
- » All terrain 13" FLAT FREE tires
- » Easy access two piece aluminum belt guard
- » 4-groove "Bandit" belt for uniform tension and maximum power transfer
- » "EZ-line" belt tension assembly
- » Easy engine and pump oil drain systems
- » Quad anti-vibration rubber isolators
- » Thermal relief valve protection
- » Secondary pressure relief valve
- » Extended run 6-gallon poly fuel tank

B-5050HC



POWERED by
HONDA

KOHLER
Engines

PSI pressure washers feature Comet pumps for their unmatched quality and life.



PUMP FEATURES:

- » Forged brass manifold with lifetime warranty
- » Forged one piece bronze alloy connecting rods
- » High efficiency, stainless steel check valves
- » Abrasion proof, heat resistant, solid ceramic plungers
- » Premium quality oversized tapered roller bearings
- » Increased fin depth for maximum heat dissipation
- » Large crankcase capacity for improved cooling
- » **Special PSI offering:** 1 year "Bumper-to-Bumper" warranty on RW, PS, & TW Series pumps – includes all normal wear items



SPECIFICATIONS

MODEL	PSI	GPM	TIRES	ENGINE	PUMP	DIMENSIONS	UNIT WEIGHT
B-5535HC	3500	5.5	13"	Honda GX630	RW5535S	31" x 28" x 40.5"	275 lbs.
B-8035HC	3500	8.0	13"	Honda GX690	PS8010S	31" x 28" x 40.5"	275 lbs.
B-1030HC	3000	10.0	13"	Honda GX690	PS8010S	31" x 28" x 40.5"	275 lbs.
B-5050HC	5000	5.0	13"	Honda GX690	TW5050S	31" x 28" x 40.5"	275 lbs.
B-8040KC	4000	8.0	13"	Kohler CH750	PS8010S	31" x 28" x 40.5"	275 lbs.
B-1035KC	3500	10.0	13"	Kohler CH750	PS8010S	31" x 28" x 40.5"	275 lbs.
B-5050KC	5000	5.0	13"	Kohler CH750	TW5050S	31" x 28" x 40.5"	275 lbs.



Pressure Systems Innovations

3750 Investment Lane » Suite 4 » West Palm Beach, FL 33404
Phone: 561.249.2830 » Fax: 561.249.2871 » sales@pressuresystemsinnovations.com
www.PressureSystemsInnovations.com

PHANTOM SILVER SERIES PROFESSIONAL DIRECT DRIVE PRESSURE WASHERS

FEATURES

- » Honda Engines with low oil protection
- » Premium series Comet triplex pump with external unloader and bypass system
- » Adjustable pressure valve for cleaning convenience
- » Ultra lightweight aluminum frame with 1 1/4" tubing operator handle
- » Rugged oversized pneumatic tires
- » Thermal safety relief protection
- » User friendly oil drain system
- » 50 mesh stainless steel inlet filter
- » 3/4" cold rolled steel axle
- » Dual anti-vibration rubber isolators

POWERED by
HONDA


Units include 50' steel braided non-marking gray hose, 36" spray wand with molded grip and gun, 5 quick connect spray nozzles, and a high draw chemical injector. Hose reel kits and other options are available. See your PSI dealer for details.



P-S4040HC



PSI pressure washers feature Comet pumps for their unmatched quality and life.



PUMP FEATURES:

- » Forged brass manifold with lifetime warranty
- » Forged bronze connecting rods
- » High efficiency, stainless steel check valves
- » Abrasion proof, heat resistant, solid ceramic plungers
- » High quality oversized bearings
- » Increased fin depth for maximum heat dissipation



SPECIFICATIONS

MODEL	PSI	GPM	TIRES	ENGINE	PUMP	DIMENSIONS	UNIT WEIGHT
P-S2527HC	2500	2.5	10"	Honda GC160	BXD2527	36" x 21" x 26"	60 lbs.
P-S3027HC	2700	3.0	10"	Honda GX200	LWD3027	36" x 21" x 26"	75 lbs.
P-S3035HC	3500	3.0	13"	Honda GX270	ZWD3035	40" x 26" x 27"	110 lbs.
P-S4040HC	4000	4.0	13"	Honda GX390	ZWD4040	40" x 26" x 27"	119 lbs.



Pressure Systems Innovations

3750 Investment Lane » Suite 4 » West Palm Beach, FL 33404
 Phone: 561.249.2830 » Fax: 561.249.2871 » sales@pressuresystemsinnovations.com
 www.PressureSystemsInnovations.com

PHANTOM SILVER HI FLOW PROFESSIONAL DIRECT DRIVE PRESSURE WASHERS

FEATURES

- » Honda Engines with low oil protection
- » Hi Flow Series industrial Comet triplex pump with external unloader and bypass system
- » Adjustable pressure valve for cleaning convenience
- » Ultra lightweight aluminum frame with 1 1/4" tubing operator handle
- » Rugged oversized pneumatic tires
- » Thermal safety relief protection
- » User friendly oil drain system
- » 50 mesh stainless steel inlet filter
- » 3/4" cold rolled steel axle
- » Dual anti-vibration rubber isolators




HI-FLOW
SERIES

Units include 50' steel braided non-marking gray hose, 36" spray wand with molded grip and gun, 5 quick connect spray nozzles, and a high draw chemical injector. Hose reel kits and other options are available. See your PSI dealer for details.



PSI pressure washers feature Comet pumps for their unmatched quality and life.



PUMP FEATURES:

- » Forged brass manifold with lifetime warranty
- » Forged bronze connecting rods
- » High efficiency, stainless steel check valves
- » Abrasion proof, heat resistant, solid ceramic plungers
- » High quality oversized bearings
- » Increased fin depth for maximum heat dissipation



SPECIFICATIONS

MODEL	PSI	GPM	TIRES	ENGINE	PUMP	DIMENSIONS	UNIT WEIGHT
P-S5030HC	3000	5.0	13"	Honda GX390	ZWD5030	40" x 26" x 27"	119 lbs.



Pressure Systems Innovations

3750 Investment Lane » Suite 4 » West Palm Beach, FL 33404
 Phone: 561.249.2830 » Fax: 561.249.2871 » sales@pressuresystemsinnovations.com
 www.PressureSystemsInnovations.com

PHANTOM BLACK SERIES PROFESSIONAL DIRECT DRIVE PRESSURE WASHERS


FEATURES

- » Honda Engines
- » Industrial Comet triplex pump with external unloader and bypass
- » Heavy duty powder coated steel frame
- » Adjustable pressure
- » Oversized tubed pneumatic tires
- » Thermal relief protection
- » 50 mesh stainless steel inlet filter
- » 3/4" cold rolled steel axle
- » Dual anti-vibration rubber isolators

Units include steel braided non-marking hose, 36" spray wand with molded grip and gun, 5 quick connect spray nozzles, and a high draw chemical injector. Hose reel kits and other options are available. See your PSI dealer for details.



P-B2527HCX




P-B4040HC

POWERED by
HONDA



PSI pressure washers feature Comet pumps for their unmatched quality and life.



PUMP FEATURES:

- » Forged brass manifold with lifetime warranty
- » Forged bronze connecting rods
- » High efficiency, stainless steel check valves
- » Abrasion proof, heat resistant, solid ceramic plungers
- » High quality oversized bearings
- » Increased fin depth for maximum heat dissipation



SPECIFICATIONS

MODEL	PSI	GPM	TIRES	ENGINE	PUMP	DIMENSIONS	UNIT WEIGHT
P-B2527HCX	2700	2.5	10"	Honda GC160	BXD2527	34" x 22" x 34"	68 lbs.
P-B3027HC	2700	3.0	10"	Honda GX200	LWD3027	34" x 22" x 34"	83 lbs.
P-B3035HC	3500	3.0	13"	Honda GX270	ZWD3035	39" x 25" x 34"	127 lbs.
P-B4040HC	4000	4.0	13"	Honda GX390	ZWD4040	39" x 25" x 34"	132 lbs.



Pressure Systems Innovations

3750 Investment Lane » Suite 4 » West Palm Beach, FL 33404
 Phone: 561.249.2830 » Fax: 561.249.2871 » sales@pressuresystemsinnovations.com
 www.PressureSystemsInnovations.com

PHANTOM E SERIES

PROFESSIONAL DIRECT DRIVE ELECTRIC PRESSURE WASHERS

FEATURES

- » Commercial grade electric motors
- » Industrial Comet triplex pump with external unloader and bypass
- » Ultra lightweight aluminum corrosion resistant frame with 1 1/4" tubing operator handle
- » Adjustable pressure
- » 10" tubed pneumatic tires
- » Thermal relief protection
- » 50 mesh stainless steel inlet filter
- » 3/4" cold rolled steel axle
- » Dual anti-vibration rubber isolators


Units include 50' steel braided non-marking gray hose, 36" spray wand with molded grip and gun, 5 quick connect spray nozzles, and a high draw chemical injector. Hose reel kits and other options are available. See your PSI dealer for details.



P-E2015BCL



PSI pressure washers feature Comet pumps for their unmatched quality and life.



PUMP FEATURES:

- » Forged brass manifold with lifetime warranty
- » Forged bronze connecting rods
- » High efficiency, stainless steel check valves
- » Abrasion proof, heat resistant, solid ceramic plungers
- » High quality oversized bearings
- » Increased fin depth for maximum heat dissipation



SPECIFICATIONS

MODEL	PSI	GPM	RPM	VOLTS	AMPS	PUMP	HP
P-E2015BCX*	1500	2.0	3450	120	18.5	BXD2020E	2.0
P-E2015BCL*	1500	2.0	1750	120	18.0	LWS2020E	2.0
P-E2015BCH*	1500	2.0	3450	120	19.0	LWD2020E	2.0
P-E3522BCH**	2500	3.5	3450	240	19.0	LWD3522E	5.0

* Units come standard with switch, box, cord, GFCI.
 ** P-E3522BCH with switch, box and cord. GFCI is optional.



Pressure Systems Innovations

3750 Investment Lane » Suite 4 » West Palm Beach, FL 33404
 Phone: 561.249.2830 » Fax: 561.249.2871 » sales@pressuresystemsinnovations.com
 www.PressureSystemsInnovations.com

E SERIES: HAND CARRY DIRECT DRIVE ELECTRIC PRESSURE WASHERS

FEATURES

- » Commercial grade electric motors
- » Industrial Comet triplex pump with external unloader and bypass
- » Thermal relief protection
- » 50 mesh stainless steel inlet filter
- » Units come standard with switch, box, cord and GFCI
- » Versatile compact design allows for stationary use or easy transportation to work site
- » Quad anti-vibration rubber isolators




E-C2015BCL



Units include 50' steel braided non-marking gray hose, 36" spray wand with molded grip and gun, 5 quick connect spray nozzles, and a high draw chemical injector. Hose reel kits and other options are available. See your PSI dealer for details.

PSI pressure washers feature Comet pumps for their unmatched quality and life.



PUMP FEATURES:

- » Forged brass manifold with lifetime warranty
- » Forged bronze connecting rods
- » High efficiency, stainless steel check valves
- » Abrasion proof, heat resistant, solid ceramic plungers
- » High quality oversized bearings
- » Increased fin depth for maximum heat dissipation



SPECIFICATIONS

MODEL	PSI	GPM	RPM	VOLTS	AMPS	PUMP	HP
E-C2015BCX	1500	2.0	3450	120	18.5	BXD2020E	2.0
E-C2015BCL	1500	2.0	1750	120	18.0	LWS2020E	2.0
E-C2015BCH	1500	2.0	3450	120	19.0	LWD2020E	2.0
E-C3522BCH	2500	3.5	3450	240	19.0	LWD3522E	5.0

* Axial pump with integral unloader




Pressure Systems Innovations

3750 Investment Lane » Suite 4 » West Palm Beach, FL 33404
 Phone: 561.249.2830 » Fax: 561.249.2871 » sales@pressuresystemsinnovations.com
 www.PressureSystemsInnovations.com



PHANTOM SOFTWASH SERIES CHEMICAL WASH SYSTEMS

FEATURES

- » Triple diaphragm chemical resistant polypropylene and stainless pump
- » Polypropylene and stainless steel pump
- » Heavy duty gear reducer
- » High volume 11.4 gallon per minute capable
- » All aluminum skid with rubber vibration dampeners
- » GX commercial Honda engine
- » Low oil alert
- » Chlorine, fertilizer and pesticide resistant



POWERED by
HONDA



SPECIFICATIONS

MODEL	MAX PSI	MAX GPM	ENGINE	PUMP	DIMENSIONS	UNIT WEIGHT
S-10150HC	150	9.6	Honda GX200	P36/10	21" x 16" x 21"	80 lbs.
S-11030HA	290	11.4	Honda GX200	AR45	21" x 16" x 21"	80 lbs.



Pressure Systems Innovations

3750 Investment Lane » Suite 4 » West Palm Beach, FL 33404

Phone: 561.249.2830 » Fax: 561.249.2871 » sales@pressuresystemsinnovations.com

www.PressureSystemsInnovations.com

DRAGON SERIES HOT BOX HOT WATER ATTACHMENTS

FEATURES

- » Designed to connect to an existing pressure washer to make any cold water system transform into a complete hot water unit
- » Top to bottom schedule 80 coil for maximum temperature rise
- » Stainless coil wrap and control panel
- » Safety pressure relief valve
- » Flow switch
- » Adjustable thermostat temperature control
- » Beckett burner
- » Powder coated steel frame
- » Poly 6 gallon diesel/kerosene fuel tank
- » Fuel filter
- » 12 volt leads or 120 volt GFIC cord



**STAINLESS
STEEL**
OPTION AVAILABLE

SPECIFICATIONS

MODEL	PSI	GPM	BURNER	VOLTAGE	BTU	DIMENSIONS	UNIT WEIGHT
D-HB40	4000	4.0	ADC	12	280,000	17" x 21" x 40"	225 lbs.
D-HB40-AC	4000	4.0	ADC	120	280,000	17" x 21" x 40"	225 lbs.
D-HB50	4000	5.0	ADC	12	350,000	17" x 21" x 40"	230 lbs.
D-HB50-AC	4000	5.0	ADC	120	350,000	17" x 21" x 40"	230 lbs.
D-HB80	4000	8.0	ADC	12	420,000	21" x 26" x 46"	375 lbs.
D-HB80-AC	4000	8.0	ADC	120	420,000	21" x 26" x 46"	375 lbs.
D-HB100	4000	10.0	SDC	12	455,000	21" x 26" x 46"	385 lbs.
D-HB100-AC	4000	10.0	SDC	120	455,000	21" x 26" x 46"	385 lbs.



Pressure Systems Innovations

3750 Investment Lane » Suite 4 » West Palm Beach, FL 33404
 Phone: 561.249.2830 » Fax: 561.249.2871 » sales@pressuresystemsinnovations.com
 www.PressureSystemsInnovations.com

DRAGON SERIES HOT WATER PRESSURE WASHERS

FEATURES

- » Electric start gasoline GX390 Honda engine or commercial grade electric motor
- » Industrial Comet triplex pump with external unloader and bypass
- » Rugged roll cage design with lifting hook - protects all unit components
- » Stainless steel control panel with adjustable temperature control
- » 6 gallon poly diesel/kerosene fuel tank
- » Easy engine oil drain system

POWERED by
HONDA™

STAINLESS
STEEL
OPTION AVAILABLE




D-H4040HC

Units include 50' steel braided non-marking gray hose, 36" insulated spray wand with molded grip and gun, 5 quick connect spray nozzles, and a high draw chemical injector. Other kit options are available. See your PSI dealer for details.

PSI pressure washers feature Comet pumps for their unmatched quality and life.

5 YEAR
LIMITED
COMET
PUMP
WARRANTY



PUMP FEATURES:

- » Forged brass manifold with lifetime warranty
- » Forged bronze connecting rods
- » High efficiency, stainless steel check valves
- » Abrasion proof, heat resistant, solid ceramic plungers
- » High quality oversized bearings
- » Increased fin depth for maximum heat dissipation

3 YEAR
LIMITED
HONDA
ENGINE
WARRANTY

SPECIFICATIONS

MODEL	PSI	GPM	TIRES	ENG/MOTOR	PUMP	DIMENSIONS	UNIT WEIGHT
D-H4040HC	4000	4.0	13"	Honda GX390	ZWD4040	45" x 32" x 47"	500 lbs.
D-H5030HC	3000	5.0	13"	Honda GX390	ZWD5030	45" x 32" x 47"	500 lbs.
D-H2015BC	1500	2.1	10"	Baldor 2 hp	LWS2020E	42" x 27" x 42"	400 lbs.



Pressure Systems Innovations

3750 Investment Lane » Suite 4 » West Palm Beach, FL 33404
 Phone: 561.249.2830 » Fax: 561.249.2871 » sales@pressuresystemsinnovations.com
 www.PressureSystemsInnovations.com

SMOKIN' BANDIT® SERIES HOT WATER PRESSURE WASHERS

FEATURES

- » Honda GX390 Series engines with electric start and low oil protection
- » Industrial Comet triplex pump
- » Heavy duty powder coated frame
- » Ultra rugged corrosion resistant extruded aluminum base
- » 3-groove "Bandit" belt for uniform tension and maximum power transfer
- » "EZ-line" belt tension assembly
- » Easy access two piece aluminum belt guard
- » Stainless steel control panel with adjustable temperature control
- » Corrosion resistant stainless steel coil wrap
- » Over pressure and thermal relief valve protection
- » Easy pump and engine oil drains
- » Top-to-bottom schedule 80 coil for maximum temperature rise
- » 6-gallon poly diesel and gasoline fuel tanks



B-SH8030HC



POWERED by
HONDA™

PSI pressure washers feature Comet pumps for their unmatched quality and life.

**5 YEAR
LIMITED
COMET
PUMP
WARRANTY**



PUMP FEATURES:

- » Forged brass manifold with lifetime warranty
- » Forged one piece bronze alloy connecting rods
- » High efficiency, stainless steel check valves
- » Abrasion proof, heat resistant, solid ceramic plungers
- » Premium quality oversized tapered roller bearings
- » Increased fin depth for maximum heat dissipation
- » Large crankcase capacity for improved cooling
- » **Special PSI offering:** 1 year "Bumper-to-Bumper" warranty on RW Series pumps - includes all normal wear items

**3 YEAR
LIMITED
HONDA
ENGINE
WARRANTY**

SPECIFICATIONS

MODEL	PSI	GPM	ENGINE	PUMP	DIMENSIONS	UNIT WEIGHT
B-SH4040HC	4000	4.0	Honda GX390	RW4040S	41" x 43" x 41"	400 lbs.
B-SH5530HC	3000	5.5	Honda GX390	RW5535S	41" x 43" x 41"	400 lbs.



Pressure Systems Innovations

3750 Investment Lane » Suite 4 » West Palm Beach, FL 33404
 Phone: 561.249.2830 » Fax: 561.249.2871 » sales@pressuresystemsinnovations.com
 www.PressureSystemsInnovations.com

ULTRA SMOKIN' BANDIT® SERIES HOT WATER PRESSURE WASHERS

FEATURES

- » Honda V-Twin GX Series or Kohler CH750 engines with low oil protection
- » Hi Flow Series industrial Comet triplex pump with lifetime warranty
- » Heavy duty powder coated frame
- » Ultra rugged corrosion resistant extruded aluminum base
- » 4-groove "Bandit" belt for uniform tension and maximum power transfer
- » "EZ-line" belt tension assembly
- » Easy access two piece aluminum belt guard
- » Stainless steel control panel with adjustable temperature control
- » Corrosion resistant stainless steel coil wrap
- » Over pressure and thermal relief valve protection
- » Easy pump and engine oil drains
- » Top-to-bottom schedule 80 coil for maximum temperature rise
- » Long run poly diesel and gasoline fuel tanks



B-SH8035HC

POWERED by
HONDA
KOHLER
Engines



PSI pressure washers feature Comet pumps for their unmatched quality and life.



PUMP FEATURES:

- » Forged brass manifold with lifetime warranty
- » Forged one piece bronze alloy connecting rods
- » High efficiency, stainless steel check valves
- » Abrasion proof, heat resistant, solid ceramic plungers
- » Premium quality oversized tapered roller bearings
- » Increased fin depth for maximum heat dissipation
- » Large crankcase capacity for improved cooling
- » **Special PSI offering:** 1 year "Bumper-to-Bumper" warranty on entire pump – includes all normal wear items



SPECIFICATIONS

MODEL	PSI	GPM	ENGINE	PUMP	DIMENSIONS	UNIT WEIGHT
B-SH5535HC	3500	5.5	Honda GX630	RW5535S	45" x 32" x 47"	600 lbs.
B-SH8035HC	3500	8.0	Honda GX690	PS8010S	45" x 32" x 47"	600 lbs.
B-SH1035KC	3500	10.0	Kohler CH750	PS8010S	45" x 32" x 47"	600 lbs.
B-SH8040KC	4000	8.0	Kohler CH750	PS8010S	45" x 32" x 47"	600 lbs.




Pressure Systems Innovations

3750 Investment Lane » Suite 4 » West Palm Beach, FL 33404
Phone: 561.249.2830 » Fax: 561.249.2871 » sales@pressuresystemsinnovations.com
www.PressureSystemsInnovations.com

ROTO-EZE PROFESSIONAL ROTARY SURFACE CLEANER

FEATURES

- » EZ pull trigger gun minimizes operator fatigue
- » Industrial long life swivel with grease fitting
- » Cartridge style double bearing assembly for easy maintenance
- » Rugged ABS cover for demanding applications
- » Pro style extended handle with light weight design allows easy control at safe distance
- » Quick release pins allow for easy storage and assembly
- » "Zero Edge" engineered spray arm maximizes cleaning path
- » Heavy duty double braided steel hose for hot water applications



APPLICATIONS

- » Driveways
- » Decks
- » Parking Lots
- » Roofs
- » Boat Ramps
- » Marinas
- » Warehouse Floors
- » Sidewalks
- » Playgrounds
- » Stadiums
- » Pool Decks
- » And many more!

BENEFITS

- » Reduces cleaning time by 80% with less fatigue versus standard gun and wand applications
- » Eliminates uneven cleaning
- » Operator stays dryer

SPECIFICATIONS

MODEL	DIAMETER	PSI	MAX GPM	TEMP	UNIT WEIGHT
ADVR2000	20"	4000	8.0	300°F	17.5 lbs.
ADVR2000X	20"	4000	8.0	300°F	17.5 lbs.
ADVR2000W	20"	4000	8.0	300°F	19.0 lbs.
ADVR2200S	22"	4000	8.0	300°F	27.5 lbs.



Pressure Systems Innovations

3750 Investment Lane » Suite 4 » West Palm Beach, FL 33404
 Phone: 561.249.2830 » Fax: 561.249.2871 » sales@pressuresystemsinnovations.com
 www.PressureSystemsInnovations.com

ROTO-EZE

CONSUMER/COMMERCIAL ROTARY SURFACE CLEANER

FEATURES

- » Rugged construction
- » ABS cover for demanding applications
- » Cost effective
- » Easy to use
- » Universal quick coupling connection
- » Efficient streak free cleaning pattern
- » Cleans 5 times faster than with wand alone



APPLICATIONS

- » Driveways
- » Parking Lots
- » Boat Ramps
- » Warehouse Floors
- » Playgrounds
- » Pool Decks
- » Decks
- » Roofs
- » Marinas
- » Sidewalks
- » Stadiums
- » And many more!

BENEFITS

- » Reduces cleaning time by 80% with less fatigue versus standard gun and wand applications
- » Eliminates uneven cleaning
- » Operator stays dryer

SPECIFICATIONS

MODEL	DIAMETER	PSI	MAX GPM	TEMP	UNIT WEIGHT
ADVR1200E	12"	3200	4.0	150°F	4.0 lbs.
ADVR1800W	18"	4000	8.0	300°F	11.0 lbs.
ADVR2000E	20"	4000	8.0	300°F	26.5 lbs.



Pressure Systems Innovations

3750 Investment Lane » Suite 4 » West Palm Beach, FL 33404
 Phone: 561.249.2830 » Fax: 561.249.2871 » sales@pressuresystemsinnovations.com
 www.PressureSystemsInnovations.com



Pressure Systems Innovations

3750 Investment Lane » Suite 4 » West Palm Beach, FL 33404

Phone: 561.249.2830 » Fax: 561.249.2871 » sales@pressuresystemsinnovations.com

www.PressureSystemsInnovations.com